

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Savannah

5102 LaRoche Avenue

Savannah, GA 31404

Tel: (912)354-7858

Client Project/Site: Paint Formulation

For:

Imperial Paints LLC

PO BOX 489

Fairforest, South Carolina 29336



LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Case Narrative

Client: Imperial Paints LLC
Project/Site: Paint Formulation

Laboratory: TestAmerica Savannah

CASE NARRATIVE

Client: Imperial Paints LLC

Project: Paint Formulation

ECOS Wall Primer Light

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT

The samples were received on 11/09/2015; the samples arrived in good condition, properly preserved. The temperature of the coolers at receipt was 14.4 C.

METHOD 8260B

VOLATILE ORGANIC COMPOUNDS BY GAS CHROMATOGRAPHY/ MASS SPECTROMETRY (GC/MS)

Method 8260 is used to determine volatile organic compounds in a variety of waste matrices. This method is applicable to nearly all types of samples, regardless of water content, including various air sampling trapping media, ground and surface water, aqueous sludges, caustic liquors, acid liquors, waste solvents, oily wastes, mousses, tars, fibrous wastes, polymeric emulsions, filter cakes, spent carbons, spent catalysts, soils, and sediments.

Method 8260 can be used to quantitate most volatile organic compounds that have boiling points below 200oC. Volatile, water soluble compounds can be included in this analytical technique by the use of azeotropic distillation or closed-system vacuum distillation. Such compounds include low molecular weight halogenated hydrocarbons, aromatics, ketones, nitriles, acetates, acrylates, ethers, and sulfides.

The test process used in this case analyzed the liquid coating, rather than a dry, cured sample.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples were analyzed for Volatile Organic Compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/13/2015, 11/14/2015 and 11/16/2015.

| Method | Method Description | Protocol | Laboratory |
|--------|------------------------------------|----------|------------|
| 8260B | Volatile Organic Compounds (GC/MS) | SW846 | TAL SAV |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

Definitions/Glossary

Client: Imperial Paints LLC
Project/Site: Paint Formulation

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|-------------------------------------------|
| * | LCS or LCSD is outside acceptance limits. |

GC/MS VOA TICs

| Qualifier | Qualifier Description |
|-----------|---------------------------------------------------------------------------|
| J | Indicates an Estimated Value for TICs |
| T | Result is a tentatively identified compound (TIC) and an estimated value. |
| N | Presumptive evidence of material. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|------------------------------------------------------------------|
| H | Sample was prepped or analyzed beyond the specified holding time |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|-------------------------------------------------------------------------------------------------------------|
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CNF | Contains no Free Liquid |
| DER | Duplicate error ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision level concentration |
| MDA | Minimum detectable activity |
| EDL | Estimated Detection Limit |
| MDC | Minimum detectable concentration |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative error ratio |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

Results

Client: Imperial Paints LLC
Project/Site: Paint Formulation

Client Sample ID: ECOS Wall Primer Light

Date Collected: 11/05/15 10:30

Date Received: 11/09/15 09:26

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Reporting Limit | Unit | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------------|-------|----------------|----------------|---------|
| Acetone | 20 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Acetonitrile | 20 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Acrolein | 39 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Acrylonitrile | 39 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Benzene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Bromodichloromethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Bromoform | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Bromomethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 2-Butanone (MEK) | 9.8 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Carbon disulfide | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Carbon tetrachloride | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Chlorobenzene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Chloroprene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Chloroethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Chloroform | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Chloromethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Allyl chloride | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Dibromochloromethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Dibromomethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,2-Dichlorobenzene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,3-Dichlorobenzene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,4-Dichlorobenzene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| trans-1,4-Dichloro-2-butene | 3.9 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Dichlorodifluoromethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,1-Dichloroethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,2-Dichloroethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| trans-1,2-Dichloroethene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,1-Dichloroethene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,2-Dichloropropane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| cis-1,3-Dichloropropene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| trans-1,3-Dichloropropene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Ethylbenzene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Ethyl methacrylate | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 2-Hexanone | 9.8 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Iodomethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Isobutanol | 98 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Methacrylonitrile | 20 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Methylene Chloride | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Methyl methacrylate | 3.9 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 4-Methyl-2-pentanone | 9.8 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Methyl tert-butyl ether | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Pentachloroethane | 3.9 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Propionitrile | 20 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Styrene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,1,1,2-Tetrachloroethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,1,2,2-Tetrachloroethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Tetrachloroethene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Toluene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,1,1-Trichloroethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |

Results

Client: Imperial Paints LLC
Project/Site: Paint Formulation

Client Sample ID: ECOS Wall Primer Light

Date Collected: 11/05/15 10:30

Date Received: 11/09/15 09:26

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Reporting Limit | Unit | Prepared | Analyzed | Dil Fac |
|------------------------|-----------------|-------|----------------|----------------|---------|
| 1,1,2-Trichloroethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Trichloroethene | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Trichlorofluoromethane | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Vinyl acetate | 3.9 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Vinyl chloride | 2.0 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Xylenes, Total | 3.9 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |

| <i>Tentatively Identified Compounds</i> | <i>Result</i> | <i>Unit</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-----------------------------------------|---------------|-------------|-----------------|-----------------|----------------|
| Total Non Exempt | 3 | mg/Kg | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Total Non Exempt | 0.0 | g/l | 11/12/15 14:30 | 11/13/15 14:51 | 40 |

| Surrogate | %Recovery | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|----------|----------------|----------------|---------|
| Toluene-d8 (Surr) | 92 | 30 - 130 | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| Dibromofluoromethane (Surr) | 93 | 30 - 130 | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 1,2-Dichloroethane-d4 (Surr) | 106 | 30 - 130 | 11/12/15 14:30 | 11/13/15 14:51 | 40 |
| 4-Bromofluorobenzene (Surr) | 111 | 30 - 130 | 11/12/15 14:30 | 11/13/15 14:51 | 40 |