

Safecoat/SafeChoice/Naturals Ingredient List

Safecoat Transitional Primer- 9 grams per liter

Modified Acrylic Emulsion Copolymer, Nepheline Syenite, Water, Titanium Dioxide

Safecoat New Wallboard Primecoat HPV - 15 grams per liter

Water, Limestone, Calcined Kaolin Clay, Acrylic Copolymer Emulsion, Titanium Dioxide, Calcium Carbonate, Surface Active Agent

Metalcoat Acrylic Metal Primer - 45 grams per liter

Acrylic Emulsion, Titanium Dioxide, Water, Nepheline Syenite, Zinc Phosphate, Silicate Mica, Propylene glycol, Sodium Salt of Polymeric, Carboxylic Acid

Safecoat Zero VOC Flat - 0 grams per liter

Water, Acrylic Copolymer, Titanium Dioxide, Limestone, Calcined Kaolin Clay

Safecoat Zero VOC Pearl - 0 grams per liter

Acrylic Emulsion Copolymer, Water, Polyvinyl Acetate Acrylic, Titanium Dioxide, Limestone, Aluminum Silicate

Safecoat Zero VOC Eggshell - 0 grams per liter

Water, Titanium Dioxide, Acrylic Copolymer, Limestone, Aluminum Silicate

Safecoat Zero VOC Semi-gloss - 0 grams per liter

Acrylic Emulsion Copolymer, Water, Titanium Dioxide

Safecoat Trim & Door Enamel (Eggshell and Semi-Gloss) - 58 grams per liter and 63 respectively

Acrylic Emulsion Copolymer, Modified Acrylic Emulsion, Titanium Dioxide, Water, Aqueous Copolymer, Ester Alcohol, Propylene Glycol

Safecoat All Purpose Exterior Satin - 17 grams per liter

Modified Acrylic Emulsion, Water, Titanium Dioxide, Kaolin Clay, Nepheline Syenite Pigment

Safecoat DuroStain - 56 grams per liter

Water, Acrylic Polymer Mixture, Acrylic Emulsion Copolymer, Dipropylene glycol methyl ether, Propylene Glycol, Earth pigments

Safecoat Acrylacq (Gloss and Satin) - 124 grams per liter and 120 respectively

Modified Acrylic Emulsion Copolymer, Dipropylene Glycol Methyl Ether, Water

Satin Finish: Modified Acrylic Emulsion Copolymer, Dipropylene Glycol Methyl Ether, Water, Amorphous Fumed Silica

Safecoat Ecolacq (Gloss) - 124 grams per liter

Modified Acrylic Emulsion Copolymer, Dipropylene Glycol Methyl Ether, Water, zero voc colorants

Safecoat Polyureseal BP (Gloss and Satin) - 114 grams per liter and 111 respectively

Modified Polyurethane Aqueous Dispersion, Dipropylene glycol methyl ether, Water, Acrylic Emulsion Copolymer

Safecoat Acriglaze (Gloss and Matte) - 54 grams per liter and 52 respectively

Water, Acrylic Polymer Emulsion, Modified Acrylic Vinyl Emulsion, Aqueous Acrylic Emulsion

Safecoat DeckKote - 110 grams per liter

Acrylic Emulsion Copolymer, Titanium Dioxide, Water, Propylene Glycol, Acrylic Emulsion, Ester Alcohol, Aqueous Copolymer

Safecoat Dynoseal - 19 grams per liter

Acrylic Copolymer Emulsion Mixture, Pigment Dispersion

Safecoat DynoSeal Driveway/Asphalt Sealer - 5 grams per liter

Mixture Emulsion Asphalt, Modified Acrylic Vinyl Emulsion, Water

Safecoat DynoFlex Natural Tan - 29 grams per liter

Modified Acrylic Copolymer, Propylene Glycol, Magnesium Aluminum Silicate

Safecoat DynoFlex Roof Guard - 35 grams per liter

Acrylic Copolymer Emulsion, Water, Titanium Dioxide, Nepheline Syenite Pigment

AFM Naturals Clear Penetrating Oil - 200 grams per liter

Polymerized Linseed Oil, Organic Flaxseed Oil, Isoaliphate, Modified Soybean Oil, Hemp Oil, Carboxylate Metallic Salts of Calcium Manganese & Zirconium

AFM Naturals Oil Wax Finish - 250 grams per liter

Polymerized Linseed Oil, Organic Safflower Oil, Isoaliphate, China Wood Oil, Sunflower Oil, Carnauba Wax, Microcrystalline Wax Modified Soybean Oil, Hemp Oil, Carboxylate Metallic Salts of Calcium Manganese & Zirconium

AFM Naturals Diluent/Reducer 4099 - 800 grams per liter

Isoaliphate

AFM Naturals Primer- 22 grams per liter

Soybean Oil Resin, Titanium Dioxide, Flaxseed Oil, Thistle Oil, Nepheline Syenite, Calcined Kaolin Clay

Metallic Driers, Polysiloxance Polymer

AFM Naturals Flat - 24 grams per liter

Soybean Oil Resin, Water, Titanium Dioxide, Calcium Carbonate, Nepheline Syenite, Flaxseed Oil, Calcined Kaolin Clay

Soy Derivative, Thistle Oil, Metallic Driers, Polysiloxance Polymer

AFM Naturals Pearl - 17 grams per liter

Soybean Oil Resin, Water, Titanium Dioxide, Flaxseed Oil, Soy Derivative, Aluminum Silicate, Thistle Oil, Metallic Driers, Polysiloxance Polymer

Safecoat MexeSeal - 36 grams per liter

Water, Modified Polyurethane Aqueous Dispersion, Acrylic Emulsion Copolymer, Dipropylene glycol methyl ether, Ester Alcohol

Safecoat Penetrating Water Stop - 0 grams per liter

Water, Silicone Solution, Potassium Hydroxide

Safecoat Safe Seal - 12 grams per liter

Water, Acrylic Copolymer Emulsion, Acrylic Polymer Mixture, Dipropylene glycol methyl ether

Safecoat Hard Seal - 21 grams per liter

Water, Acrylic Emulsion Polymer, Acrylic Polymer Emulsion, Ester Alcohol

Safecoat Water Shield - 2 grams per liter

Water, Modified Acrylic Emulsion Copolymer Mixture

Safecoat Grout Sealer - 0 grams per liter

Water, Potassium Silicate Solution

SafeChoice Cleaner - 0 grams per liter

Water, 2 non-ionic plant surfactants, 2 plant based emulsifiers, citric acid, Sodium percarbonate

SafeChoice Carpet Shampoo - 0 grams per liter

Water, Non-ionic plant surfactant, White oleic acid, Monoethanolamine, Sodium percarbonate

SafeChoice Carpet Seal - 0 grams per liter

Purified water, Sodium silicate solution

SafeChoice Lock-Out - 0 grams per liter

Purified water, non-ionic plant surfactant, Acrylic Copolymer emulsion, White oleic acid, Monoethanolamine

Safecoat 3 in 1 Adhesive - 55 grams per liter

Modified Acrylic Copolymer, Propylene Glycol, Aqueous Acrylic Polymer

Almighty Adhesive - 0 grams per liter - Less than 19 g/l @ 240 deg. F

Modified polyetherisomer mixture, Nepheline Syenite, Amino Silane

Safecoat Caulking Compound - 32 grams per liter

Modified Acrylic Copolymer, Titanium Dioxide, Water, Magnesium Aluminum Silicate, Muscovite Mica, Propylene Glycol

SafeChoice Head & Body Shampoo - 0 grams per liter

Distilled water, Sodium Laureth Sulfate, Sodium Chloride, Citric Acid, Lactobacillus Ferment